

FIG. 1.

009240" 8T165560

FIG. 2.




FIG. 3.




FIG. 4.





FIG. 5.



00559118-042600




FIG. 6.




FIG. 7.

009240" 8TF65560

FIG. 8.





FIG. 9.



00959118 042600

FIG. 10.

1030	1020	1010
LLC HEADER	SATELLITE HEADER	IP DATAGRAM ( PAYLOAD )
DELIVERS PACKET TO SATELLITE GATEWAY STRIPPED OFF IN SATELLITE GATEWAY	USED TO ID CORRECT RECEIVER TERMINAL  STRIPPED OFF IN BIC DRIVER IN USER TERMINAL	DESTINED FOR TCP/IP PACKAGE IN USER TERMINAL

FIG. 11.

	0	4	10	16	24	31
1102	SOURCE PORT			DESTINATION PORT		
	SEQUENCE NUMBER					
	ACKNOWLEDGEMENT NUMBER					
1104	HLEN	RESERVED	CODE BITS	WINDOW		
	CHECKSUM			URGENT POINTER		
1106	OPTIONS ( IF ANY )				PADDING	
	DATA					
	...					

TCP PACKET

FIG. 12.




FIG. 13a.




FIG. 13b.




FIG. 13c.




FIG. 13d.





FIG. 13e.








FIG. 14




FIG. 15